



Banana Diesel

Undisputed Extracts

Phoenix, AZ 85050
get.niko.19@gmail.com
(602) 269-0347
Lic. #00000053DCXB00858835
Concentrates & Extracts, Live Resin, Butane
Reference:

Sample: 2412DEL0711.C.3223

Strain: Banana Diesel
Lot#: ; Batch#: SPBD12224; Batch Size: g
Sampling Time: 1PM; Sampling Date: 12/02/2024
Sample Received: 12/02/2024; Report Created: 12/09/2024
Collection Time: 3:17 PM; Collection Date: 12/02/2024
Harvest Date: 08/07/2024; Testing Completed: 12/04/2024
Use by Date: ; Manufacture Date: 12/02/2024; MMJ Weight: g

Cannabinoid Test Results

	77.91%	ND
	779.13 mg/g	ND
	THC Max	CBD Max
	87.96%	87.96% Q3
	879.58 mg/g	879.58 mg/g
	Regulatory Cannabinoids	Total Cannabinoids

Safety & Quality Tests

Visual	Not Tested	Moisture Content	Not Tested
Microbiological	Pass	Residual Solvents	Pass
Heavy Metals	Pass	Pesticides	Pass
Mycotoxins	Pass	Terpenes	Not Tested

Cannabinoid	LOQ	Results	Results	Qualifiers	Concentration
	%	%	mg/g		
CBC	3.33	<LOQ	<LOQ		
CBD	3.33	<LOQ	<LOQ		
CBDa	3.33	<LOQ	<LOQ		
CBG	3.33	<LOQ	<LOQ		
CBGa	3.33	<LOQ	<LOQ		
CBN	3.33	<LOQ	<LOQ		
Δ8-THC	3.33	<LOQ	<LOQ		
Δ9-THC	3.33	6.29	62.9		
THCa	3.33	81.66	816.6		
THCV	3.33	<LOQ	<LOQ		
Total		87.96	879.6	Q3	

Terpene Test Results

Not Tested

Analyte	LOQ	Concentration	Concentration	Qualifiers
---------	-----	---------------	---------------	------------

Date Tested: 12/05/2024
SOP-134; THC Max = THCa * 0.877 + Δ9-THC; CBD Max = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Microbials

Pass

Analyte	Limit	Results	Status	Qualifiers
E. Coli	100 CFU/g	< 10 CFU/g	Pass	
Salmonella	Not Detected in 1g	Not Detected in 1g	Pass	
Aspergillus (flavus, fumigatus, niger, and terreus)	Not Detected in 1g	Not Detected in 1g	Pass	

Date Tested: 12/04/2024
SOP-141, SOP-142; LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory; ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Date Tested:

Scan to View Results



Raju Kandel
Raju Kandel
Technical Lab Director

I certify that this sample has been tested by DigiPath Labs.
All results are reported on AS-IS basis.

The data provided on this certificate of analysis is the result of an analysis conducted on the product provided by the customer and in the condition in which it was received. DigiPath Labs makes no representations, express or implied, about the accuracy or fitness for a particular purpose of the data contained herein. All pass/fail limits are as specified in A.A.C. 9 A.A.C. 17. This product has been tested by DigiPath Labs using validated testing methodologies under QMS-101 Quality Assurance Plan as required by ISO/IEC 17025:2017 and the ADHS Rules. Each testing method is listed in the appropriate assay footnotes referenced by the accompanying SOP.



Banana Diesel

Undisputed Extracts

Phoenix, AZ 85050
get.niko.19@gmail.com
(602) 269-0347
Lic. #00000053DCXB00858835
Concentrates & Extracts, Live Resin, Butane
Reference:

Sample: 2412DELO711.C.3223

Strain: Banana Diesel
Lot#: ; Batch#: SPBD12224; Batch Size: g
Sampling Time: 1PM; Sampling Date: 12/02/2024
Sample Received: 12/02/2024; Report Created: 12/09/2024
Collection Time: 3:17 PM; Collection Date: 12/02/2024
Harvest Date: 08/07/2024; Testing Completed: 12/04/2024
Use by Date: ; Manufacture Date: 12/02/2024; MMJ Weight: g

Pesticides

Pass

Analyte	LOQ	Limit	Results	Qualifiers	Status
	PPM	PPM	PPM		
Abamectin	0.10	0.50	<LOQ	L1 R1	Pass
Acephate	0.10	0.40	<LOQ		Pass
Acetamiprid	0.10	0.20	<LOQ		Pass
Aldicarb	0.20	0.40	<LOQ		Pass
Azoxystrobin	0.10	0.20	<LOQ		Pass
Bifenazate	0.10	0.20	<LOQ		Pass
Bifenthrin	0.10	0.20	<LOQ		Pass
Boscalid	0.20	0.40	<LOQ		Pass
Carbaryl	0.10	0.20	<LOQ		Pass
Carbofuran	0.10	0.20	<LOQ		Pass
Chlorantraniliprole	0.10	0.20	<LOQ		Pass
Chlorfenapyr	1.00	1.00	<LOQ		Pass
Chlorpyrifos	0.10	0.20	<LOQ		Pass
Clofentezine	0.10	0.20	<LOQ		Pass
Cyfluthrin	1.00	1.00	<LOQ	R1	Pass
Cypermethrin	1.00	1.00	<LOQ		Pass
Daminozide	0.40	1.00	<LOQ		Pass
DDVP	0.05	0.10	<LOQ		Pass
Diazinon	0.10	0.20	<LOQ		Pass
Dimethoate	0.10	0.20	<LOQ		Pass
Ethoprophos	0.10	0.20	<LOQ		Pass
Etofenprox	0.20	0.40	<LOQ		Pass
Etoxazole	0.10	0.20	<LOQ		Pass
Fenoxycarb	0.10	0.20	<LOQ		Pass
Fenpyroximate	0.20	0.40	<LOQ		Pass
Fipronil	0.20	0.40	<LOQ		Pass
Flonicamid	0.40	1.00	<LOQ		Pass
Fludioxonil	0.20	0.40	<LOQ		Pass
Hexythiazox	0.40	1.00	<LOQ		Pass
Imazalil	0.10	0.20	<LOQ		Pass
Imidacloprid	0.20	0.40	<LOQ		Pass
Kresoxim Methyl	0.20	0.40	<LOQ		Pass
Malathion	0.10	0.20	<LOQ		Pass
Metalaxyl	0.10	0.20	<LOQ		Pass
Methiocarb	0.10	0.20	<LOQ		Pass
Methomyl	0.20	0.40	<LOQ		Pass
Myclobutanil	0.10	0.20	<LOQ		Pass
Naled	0.20	0.50	<LOQ		Pass
Oxamyl	0.40	1.00	<LOQ		Pass
Paclobutrazol	0.20	0.40	<LOQ		Pass
Permethrins (cis- and trans-isomers)	0.10	0.20	<LOQ		Pass
Phosmet	0.10	0.20	<LOQ		Pass
Piperonyl Butoxide	0.40	2.00	<LOQ		Pass
Prallethrin	0.10	0.20	<LOQ		Pass
Propiconazole	0.20	0.40	<LOQ		Pass
Propoxur	0.10	0.20	<LOQ		Pass
Pyrethrins (Pyrethrin I, Pyrethrin II)	0.20	1.00	<LOQ		Pass
Pyridaben	0.10	0.20	<LOQ		Pass
Spinosad (A and D)	0.10	0.20	<LOQ		Pass
Spiromesifen	0.10	0.20	<LOQ		Pass
Spirotetramat	0.10	0.20	<LOQ		Pass
Spiroxamine	0.20	0.40	<LOQ		Pass
Tebuconazole	0.20	0.40	<LOQ		Pass
Thiacloprid	0.10	0.20	<LOQ		Pass
Thiamethoxam	0.10	0.20	<LOQ		Pass
Trifloxystrobin	0.10	0.20	<LOQ		Pass

Date Tested: 12/03/2024
SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Raju Kandel
Technical Lab Director

The data provided on this certificate of analysis is the result of an analysis conducted on the product provided by the customer and in the condition in which it was received. Digipath Labs makes no representations, express or implied, about the accuracy or fitness for a particular purpose of the data contained herein. All pass/fail limits are as specified in A.A.C. 9 A.A.C. 17. This product has been tested by Digipath Labs using validated testing methodologies under QMS-101 Quality Assurance Plan as required by ISO/IEC 17025:2017 and the ADHS Rules. Each testing method is listed in the appropriate assay footnotes referenced by the accompanying SOP.

Mycotoxins

Pass

Analyte	LOQ	Limit	Results	Qualifiers	Status
	PPB	PPB	PPB		
B1	10.00		<LOQ		Tested
B2	10.00		<LOQ		Tested
G1	10.00		<LOQ		Tested
G2	10.00		<LOQ		Tested
Ochratoxin A	10.00	20.00	<LOQ		Pass
Total Aflatoxins	10.00	20.00	<LOQ		Pass

Date Tested: 12/03/2024
SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Heavy Metals

Pass

Analyte	LOQ	Limit	Results	Qualifiers	Status
	PPM	PPM	PPM		
Arsenic	0.100	0.400	<LOQ	L1	Pass
Cadmium	0.100	0.400	<LOQ		Pass
Mercury	0.100	0.200	<LOQ		Pass
Lead	0.100	1.000	<LOQ		Pass

Date Tested: 12/03/2024
SOP-146B; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Solvents

Pass

Analyte	LOQ	Limit	Results	Qualifiers	Status
	PPM	PPM	PPM		
Acetone	500	1000	<LOQ	V1	Pass
Acetonitrile	150	410	<LOQ	V1	Pass
Benzene	1	2	<LOQ	V1	Pass
Butanes	2500	5000	<LOQ		Pass
Chloroform	25	60	<LOQ	V1	Pass
Dichloromethane	150	600	<LOQ	V1	Pass
Ethanol	2500	5000	<LOQ	V1	Pass
Ethyl Acetate	2500	5000	<LOQ	V1	Pass
Ethyl-Ether	2500	5000	<LOQ	R1 V1	Pass
Heptane	2500	5000	<LOQ		Pass
Hexanes	135	290	<LOQ	V1	Pass
Isopropanol	2500	5000	<LOQ	V1	Pass
Isopropyl-Acetate	2500	5000	<LOQ		Pass
Methanol	1250	3000	<LOQ		Pass
Pentanes	2500	5000	<LOQ		Pass
Toluene	445	890	<LOQ	V1	Pass
Xylenes	1000	2170	<LOQ	R1 V1	Pass

Date Tested: 12/03/2024
SOP-135; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

I certify that this sample has been tested by DigiPath Labs.
All results are reported on AS-IS basis.